

Koonwarra Merino and Poll merino stud on property ram sale selection for 2018

Merino select ram power index

| Lot | Tag        | MIC  | SD  | CV   | SpinF | CF   | GFW% | BW% | Sire     | FP                         | MP  | DP  | Live weight | B Depth | A Width | C Fat |
|-----|------------|------|-----|------|-------|------|------|-----|----------|----------------------------|-----|-----|-------------|---------|---------|-------|
| 1   | 17034      | 18.6 | 2.9 | 15.6 | 17.2  | 99.6 | 111  | 117 | Boo-26   | 108                        | 114 | 112 | 101.5       | 38      | 82      | 4.5   |
| 2   | 17031 poll | 19.8 | 3   | 15.2 | 18.7  | 100  | 100  | 112 | Boo-26   | 95                         | 103 | 114 | 75.5        | 31      | 74      | 3     |
| 3   | 17064      | 18.3 | 3   | 16.4 | 17.0  | 99.3 | 104  | 106 | Rp-15    | 109                        | 108 | 107 | 93.5        | 34      | 77      | 3.5   |
| 4   | 17082      | 18.2 | 3   | 16.5 | 17.1  | 99.3 | 135  | 120 | U-71     | 119                        | 123 | 123 | 98          | 35      | 78      | 4     |
| 5   | 17062      | 19   | 3   | 15.8 | 17.7  | 99.3 | 115  | 115 | Rp-15    | 110                        | 113 | 116 | 87.5        | 36      | 82      | 4.5   |
| 6   | 17086      | 18.8 | 3   | 16.0 | 17.6  | 99.6 | 99   | 112 | U-71     | 100                        | 99  | 105 | 90          | 37      | 79      | 4     |
| 7   | 17083      | 19.9 | 3   | 15.1 | 18.5  | 99.3 | 102  | 114 | U-71     | 97                         | 100 | 105 | 89          | 36      | 80      | 4.5   |
| 8   | 17242      | 19.9 | 3.1 | 15.6 | 18.6  | 99.1 | 101  | 108 | Pem-48   | 92                         | 96  | 104 | 95.5        | 39      | 83      | 4.5   |
| 9   | 17192      | 20.6 | 3.5 | 17.0 | 19.8  | 98.5 | 106  | 121 | O-008    | 90                         | 101 | 114 | 92.5        | 40      | 85      | 5     |
| 10  | 17044      | 20.5 | 3.4 | 16.6 | 19.8  | 98.9 | 100  | 131 | Boo-26   | 90                         | 98  | 110 | 108         | 40      | 87      | 5     |
| 11  | 17047      | 21   | 3.6 | 17.1 | 20.1  | 98.9 | 103  | 121 | Boo-26   | 90                         | 103 | 120 | 99          | 38      | 84      | 5     |
| 12  | 17049      | 20   | 3.5 | 17.5 | 18.9  | 99.1 | 106  | 102 | Boo-26   | 98                         | 105 | 108 | 92.5        | 38      | 85      | 5     |
| 13  | 17038      | 19.8 | 3.5 | 17.7 | 18.8  | 99.6 | 119  | 105 | Boo-26   | 106                        | 114 | 115 | 89.5        | 36      | 79      | 3.5   |
| 14  | 17059      | 17.8 | 3.1 | 17.4 | 16.8  | 99.6 | 106  | 100 | Rp-15    | 110                        | 108 | 104 | 84.5        | 36      | 81      | 4     |
| 15  | 17255      | 20   | 3.5 | 17.5 | 18.0  | 99.1 | 104  | 104 | Es38/40  | 95                         | 98  | 100 | 88          | 39      | 84      | 5     |
| 16  | 17121      | 18.5 | 3.2 | 17.3 | 17.2  | 99.2 | 113  | 98  | Chn-20   | 110                        | 106 | 98  | 91          | 37      | 77      | 3.5   |
| 17  | 17060      | 18.3 | 3.2 | 17.5 | 17.7  | 99.6 | 106  | 100 | Rp-15    | 108                        | 108 | 104 | 87          | 36      | 79      | 4     |
| 18  | 17091 m    | 19.2 | 3.4 | 17.7 | 18.2  | 99.9 |      |     | U-71     | march shorn tagged shedded |     |     |             |         |         |       |
| 19  | 17016 poll | 19.3 | 3.1 | 16.1 | 18.0  | 99.4 | 100  | 107 | Clay-323 | 98                         | 101 | 106 | 90          | 38      | 79      | 4.5   |
| 20  | 17011      | 20.5 | 3.5 | 17.1 | 19.0  | 99   | 109  | 110 | Doc-240  | 90                         | 105 | 110 | 95.5        | 36      | 79      | 4     |
| 21  | 17271      | 19.1 | 3.3 | 17.3 | 18.0  | 99.4 | 95   | 100 | Es38/40  | 92                         | 94  | 96  | 87.5        | 33      | 79      | 4     |
| 22  | 17015 poll | 20.8 | 3.6 | 17.3 | 20.0  | 98.5 | 106  | 103 | Clay-323 | 92                         | 98  | 103 | 82          | 33      | 74      | 3     |
| 23  | 17024 poll | 19.6 | 3.4 | 17.3 | 18.6  | 99   | 127  | 106 | Clay-323 | 107                        | 112 | 112 | 83.5        | 32      | 75      | 3.5   |
| 24  | 17094      | 20   | 3.2 | 16.0 | 18.7  | 99.5 | 100  | 98  | U-71     | 91                         | 91  | 94  | 75.5        | 31      | 74      | 3     |
| 25  | 17006 m    | 18   | 3   | 16.7 | 16.8  | 99.8 | 100  | 106 | Doc-240  | 113                        | 108 | 106 | 91.5        | 34      | 78      | 3     |
| 26  | 17218      | 18.9 | 3.2 | 16.9 | 17.9  | 99.2 | 98   | 102 | W-27     | 98                         | 97  | 98  | 86          | 39      | 83      | 5     |
| 27  | 17116      | 20.1 | 3.3 | 16.4 | 16.8  | 99.1 | 90   | 102 | Chn-20   | 88                         | 90  | 94  | 85.5        | 39      | 80      | 4     |
| 28  | 17079      | 19.7 | 3.3 | 16.8 | 18.5  | 99.2 | 92   | 95  | U-71     | 91                         | 90  | 89  | 85          | 33      | 76      | 4     |
| 29  | 17095      | 19.9 | 2.8 | 14.1 | 18.4  | 99.5 | 104  | 103 | U-71     | 99                         | 100 | 99  | 85.5        | 35      | 78      | 4     |
| 30  | 17225      | 18.4 | 3   | 16.3 | 17.4  | 99.5 | 103  | 106 | W-27     | 101                        | 100 | 101 | 89          | 39      | 82      | 4.5   |
| 31  | 17088      | 19.6 | 3.1 | 15.8 | 18.4  | 99.4 | 100  | 115 | U-71     | 97                         | 100 | 108 | 91          | 37      | 84      | 4     |

Koonwarra Merino and Poll merino stud on property ram sale selection for 2018

| Lot | Tag     | MIC  | SD  | CV   | spinF | CF   | GFW% | BW% | Sire    | FP  | MP  | DP  | Live weight | B Depth | A Width | C Fat |
|-----|---------|------|-----|------|-------|------|------|-----|---------|-----|-----|-----|-------------|---------|---------|-------|
| 32  | 17143   | 19.5 | 3.2 | 16.4 | 18.3  | 99.4 | 112  | 105 | Bg-178  | 97  | 100 | 104 | 84          | 40      | 81      | 4     |
| 33  | 17210   | 19.2 | 3.5 | 18.2 | 18.3  | 99.8 | 104  | 99  | O-008   | 98  | 99  | 99  | 83          | 33      | 75      | 4.5   |
| 34  | 17005   | 19.3 | 2.9 | 15.0 | 16.1  | 99.4 | 102  | 90  | Doc-240 | 103 | 99  | 93  | 85          | 32      | 78      | 3.5   |
| 35  | 17054   | 17.9 | 2.9 | 16.2 | 17.8  | 99.4 | 104  | 100 | Rp-15   | 117 | 112 | 106 | 85.5        | 32      | 75      | 3.5   |
| 36  | 17063   | 18.6 | 2.8 | 15.1 | 17.3  | 99.4 | 96   | 112 | Rp-15   | 106 | 107 | 110 | 91.5        | 32      | 72      | 3     |
| 37  | 17222   | 17.5 | 2.9 | 16.6 | 15.9  | 99.7 | 102  | 101 | W-27    | 114 | 108 | 102 | 75.5        | 36      | 77      | 3.5   |
| 38  | 17129   | 18.2 | 3.1 | 17.0 | 17.2  | 99.9 | 106  | 102 | Chn-20  | 105 | 102 | 99  | 80.5        | 36      | 76      | 3     |
| 39  | 17224   | 19.7 | 3.2 | 16.2 | 18.4  | 99.4 | 96   | 104 | W-27    | 94  | 94  | 98  | 86          | 34      | 74      | 3     |
| 40  | 17230   | 18.4 | 3.3 | 17.9 | 17.8  | 99.2 | 106  | 90  | Pem-48  | 105 | 98  | 90  | 90          | 34      | 80      | 4.5   |
| 41  | 17137   | 20   | 3.6 | 18.0 | 19.4  | 98.9 | 96   | 110 | Bg-178  | 85  | 90  | 102 | 85.5        | 37      | 80      | 3.5   |
| 42  | 17111   | 18.7 | 3.2 | 17.1 | 17.7  | 99.5 | 98   | 94  | Chn-20  | 100 | 95  | 91  | 86.5        | 37      | 83      | 4     |
| 43  | 17191   | 20.9 | 3.8 | 18.2 | 20.1  | 98.5 | 102  | 94  | O-008   | 90  | 92  | 93  | 85          | 37      | 81      | 4.5   |
| 44  | 17093   | 20.3 | 3.6 | 17.7 | 19.3  | 99.4 | 96   | 107 | U-71    | 91  | 95  | 101 | 85.5        | 37      | 83      | 4.5   |
| 45  | 17180   | 18.4 | 3.1 | 16.8 | 17.4  | 99.6 | 121  | 94  | W-27    | 112 | 109 | 99  | 85          | 34      | 76      | 4     |
| 46  | 17084   | 20.1 | 3.1 | 15.4 | 19.1  | 99.3 | 111  | 104 | U-71    | 96  | 99  | 100 | 93.5        | 37      | 80      | 3.5   |
| 47  | 17169   | 19   | 3.3 | 17.4 | 17.9  | 99.3 | 117  | 105 | W-29    | 110 | 111 | 106 | 86          | 34      | 78      | 3.5   |
| 48  | 17009   | 17.3 | 2.8 | 16.2 | 16.0  | 99.8 | 92   | 106 | Doc-240 | 113 | 109 | 106 | 85.5        | 35      | 80      | 3.5   |
| 49  | 17008 m | 19.2 | 3.4 | 17.7 | 18.2  | 99.6 | 110  | 100 | Doc-240 | 108 | 105 | 109 | 94          | 34      | 78      | 3     |
| 50  | 17179   | 18.8 | 3.4 | 18.1 | 17.6  | 99   | 135  | 103 | W-29    | 114 | 116 | 109 | 85.5        | 36      | 83      | 4.5   |
| 51  | 17252   | 18.4 | 3   | 16.3 | 17.2  | 99.4 | 113  | 100 | Pem-48  | 103 | 104 | 100 | 91          | 34      | 75      | 3     |
| 52  | 17199   | 20   | 3.4 | 17.0 | 19.4  | 99   | 108  | 104 | O-008   | 91  | 96  | 101 | 89.5        | 39      | 81      | 4     |
| 53  | 17170   | 20   | 3.3 | 16.5 | 18.8  | 99.2 | 115  | 91  | W-29    | 99  | 98  | 92  | 81          | 33      | 76      | 3.5   |
| 54  | 17270   | 20.5 | 3.2 | 15.6 | 19.5  | 99.3 | 115  | 104 | Es38/40 | 91  | 97  | 100 | 91          | 37      | 78      | 5     |
| 55  | 17198   | 19.5 | 3.5 | 17.9 | 18.6  | 98.7 | 96   | 105 | O-008   | 90  | 94  | 101 | 91.5        | 36      | 77      | 4     |
| 56  | 17164   | 17   | 2.9 | 17.1 | 16.1  | 99.6 | 90   | 97  | W-29    | 101 | 94  | 95  | 82          | 34      | 73      | 3     |
| 57  | 17217   | 18   | 3.2 | 17.8 | 17.0  | 99.5 | 104  | 109 | W-27    | 106 | 105 | 107 | 92          | 36      | 78      | 4     |
| 58  | 17177   | 18.9 | 2.8 | 14.8 | 17.2  | 99.7 | 115  | 106 | W-29    | 110 | 108 | 105 | 90          | 32      | 75      | 3     |
| 59  | 17208   | 20.8 | 3.4 | 16.3 | 19.5  | 99   | 113  | 96  | O-008   | 94  | 98  | 96  | 82.5        | 36      | 78      | 4     |
| 60  | 17266   | 19.3 | 3.4 | 17.6 | 18.4  | 99.4 | 108  | 104 | Es38/40 | 92  | 96  | 101 | 82          | 32      | 77      | 3.5   |
| 61  | 17051   | 17.3 | 2.7 | 15.6 | 16.1  | 99.6 | 110  | 104 | Rp-15   | 118 | 114 | 108 | 92          | 33      | 74      | 3     |
| 62  | 17178   | 18   | 3.1 | 17.2 | 17.0  | 99.6 | 102  | 99  | W-29    | 110 | 106 | 100 | 84          | 35      | 80      | 4     |
| 63  | 17147   | 18.3 | 3.4 | 18.6 | 18.0  | 98.9 | 110  | 108 | Bg-178  | 101 | 105 | 110 | 95          | 37      | 78      | 4     |



Koonwarra Merino and Poll merino stud on property ram sale selection for 2018

| Lot             | Tag   | MIC         | SD         | CV          | spinF       | CF          | GFW%         | BW%          | Sire    | FP          | MP          | DP           | Live weight | B Depth     | A Width     | C Fat      |
|-----------------|-------|-------------|------------|-------------|-------------|-------------|--------------|--------------|---------|-------------|-------------|--------------|-------------|-------------|-------------|------------|
| 91              | 17074 | 18.9        | 2.8        | 14.8        | 17.5        | 99.7        | 94           | 103          | U-71    | 99          | 97          | 98           | 89          | 36          | 78          | 4          |
| 92              | 17070 | 16.7        | 2.7        | 16.2        | 14.9        | 99.8        | 108          | 97           | Rp-15   | 124         | 116         | 106          | 87          | 31          | 75          | 4          |
| 93              | 17092 | 18.8        | 3.1        | 16.5        | 17.7        | 99.2        | 100          | 109          | U-71    | 99          | 100         | 105          | 85          | 31          | 76          | 4.5        |
| 94              | 17267 | 19.9        | 3.6        | 18.1        | 19.1        | 99.3        | 102          | 104          | Es38/40 | 92          | 96          | 101          | 89          | 39          | 83          | 4.5        |
| 95              | 17193 | 20          | 3.6        | 18.0        | 19.3        | 99          | 96           | 93           | O-008   | 90          | 91          | 90           | 78          | 34          | 77          | 3.5        |
| 96              | 17085 | 19.5        | 3.2        | 16.4        | 18.3        | 99.3        | 98           | 90           | U-71    | 93          | 92          | 94           | 82.5        | 34          | 77          | 4          |
| 97              | 17036 | 18.8        | 3          | 16.0        | 17.6        | 99.4        | 104          | 104          | Boo-26  | 102         | 106         | 111          | 81.5        | 34          | 77          | 4          |
| 98              | 17141 | 19.6        | 3.5        | 17.9        | 18.8        | 99          | 102          | 98           | Bg-178  | 94          | 96          | 98           | 85          | 36          | 82          | 3.5        |
| 99              | 17186 | 18.1        | 3          | 16.6        | 16.9        | 99.4        | 90           | 102          | W-29    | 101         | 96          | 97           | 83          | 35          | 81          | 4          |
| 100             | 17123 | 18.7        | 3.2        | 17.1        | 18.1        | 99          | 108          | 115          | Chn-20  | 101         | 104         | 109          | 93          | 38          | 82          | 5          |
| <b>Averages</b> |       | <b>18.9</b> | <b>3.2</b> | <b>16.7</b> | <b>17.8</b> | <b>99.3</b> | <b>100.2</b> | <b>101.5</b> |         | <b>99.5</b> | <b>99.4</b> | <b>100.9</b> | <b>85.3</b> | <b>34.8</b> | <b>78.8</b> | <b>4.1</b> |

m = march tagged rams

11 Poll rams in sale group

NOTE : The figures for the Ram Power Indexes above are on the Koonwarra 2017 drop rams only.

[An outline of the Merino Select Ram Power Indexes \(provided by Sheep Genetics orgc](#)

FP = Fibre production Rates animals on their ability to produce merino's for wool production.

The FP Index is aimed at those producers whose majority of sheep income comes from their wool clip.

It is for self-replacing merino flocks who keep wethers as part of their wool producing flock.

*The FP index is calculated using a combination of fleece weight, fiber diameter, Body weight and CV of that animal*

MP = Merino production Rates the animals on their ability to produce progeny for a finer wool operation that has significant surplus sheep sales.

The MP index is aimed at those producers whose sheep income is a balance of both wool and surplus sheep sales.

It is for self-replacing merino flocks who do not keep there wethers for wool production

*The MP index is calculated using a combination of Fleece weight, Fibre diameter, Body weight and CV of that animal*

DP = Dual Purpose produc Rates animals on their ability to produce merino's for a dual purpose operation.

The DP index is aimed at those producers whose majority of income comes form sheep sales. It is for a self-replacing merino flock that do not keep their wethers and also join a portion of their ewes to terminal sire for lamb production

*The index is calcutated using a combination of Fleece weights, fiber diameter, body weights and CV of that animal*